



This addendum forms a part of the Contract Documents and modifies the original Documents dated **April 15, 2024**, as noted below. Acknowledge receipt of this addendum in the space provided on the Official Bid Form. Failure to do so may subject the Bidder to disqualification.

REVISIONS TO SECTION 07 – 5400 THERMOPLASTIC MEMBRANE ROOFING

2.01.A.1

Change **original**

FROM:

2.01 MANUFACTURERS

A. Thermoplastic Polyvinyl Chloride (PVC) Membrane Roofing Materials:

1. Carlisle SynTec Systems; Sure-Flex PVC ~~KEE~~: www.carlisle-syntec.com/#sle.

TO:

2.01 MANUFACTURERS

A. Thermoplastic Polyvinyl Chloride (PVC) Membrane Roofing Materials:

1. Carlisle SynTec Systems; Sure-Flex PVC: www.carlisle-syntec.com/#sle.

2.03.A.1.a

Change **original**

FROM:

2.03 MEMBRANE ROOFING AND ASSOCIATED MATERIALS

A. Membrane Roofing Materials:

1. PVC: Polyvinyl chloride (PVC) complying with ASTM D4434/D4434M, Type II, sheet contains reinforcing fibers or reinforcing fabrics.
 - a. Thickness: ~~60 mil, 0.060 inch, minimum.~~

TO:

2.03 MEMBRANE ROOFING AND ASSOCIATED MATERIALS

A. Membrane Roofing Materials:

1. PVC: Polyvinyl chloride (PVC) complying with ASTM D4434/D4434M, Type II, sheet contains reinforcing fibers or reinforcing fabrics.
 - a. Thickness: **50 mil, 0.050 inch, minimum.**



2.03.C.1

Change ***original***

FROM:

2.03 MEMBRANE ROOFING AND ASSOCIATED MATERIALS

C. Vapor Retarder: Material approved by roof manufacturer; compatible with roofing and insulation materials.

1. ~~Fire retardant adhesive.~~

TO:

2.03 MEMBRANE ROOFING AND ASSOCIATED MATERIALS

C. Vapor Retarder: Material approved by roof manufacturer; compatible with roofing and insulation materials.

END OF ADDENDUM 2

ADDENDUM 2